

WHAT IS CLAIMED IS:

1. An image sensing apparatus comprising:
setting means for setting a sensing condition for
image sensing;
5 sense means for sensing an image in accordance
with the sensing condition set by said setting means;
and
transmitting means for transmitting, by
electronic mail, the sensing condition when the image
10 was sensed by said sense means.
2. The apparatus according to claim 1, wherein said
transmitting means transmits electronic mail having
information indicating the sensing condition added to a
message portion.
- 15 3. The apparatus according to claim 1, wherein said
transmitting means transmits electronic mail having
information indicating the sensing condition added to a
subject portion.
4. The apparatus according to claim 1, wherein said
20 transmitting means transmits the sensing condition
together with the image sensed by said sense means.
5. The apparatus according to claim 1, wherein the
sensing condition set by said setting means includes
any one of a specific time, a predetermined elapsed
25 time, sensor detection by an external sensor, detection
of a sound level higher than a predetermined level, and
operation of a sensing button.

6. The apparatus according to claim 1, wherein said transmitting means can transmit image stored in an external memory, and also transmits, when transmitting image stored in the external memory, information
5 indicating that the transmitted image is an image that has been stored in the external memory.

7. The apparatus according to claim 1, wherein said transmitting means transmits time information indicating a time at which the image was sensed by said
10 sense means, together with the sensing condition.

8. The apparatus according to claim 1, further comprising

transfer means for transferring the image sensed by said sense means to a server connected to a network,
15 wherein said transmitting means transmits link address information for specifying the image transmitted to the server, together with the sensing condition.

9. An image sensing apparatus comprising:
20 setting means for setting a sensing condition for image sensing;

sense means for sensing an image in accordance with the sensing condition set by said setting means;
and

25 transmitting means for transmitting, by electronic mail, information associated with a time at which the image was sensed by said sense means.

10. An image sensing apparatus comprising:

setting means for setting a sensing condition for image sensing;

sense means for sensing an image in accordance
5 with the sensing condition set by said setting means;
and

electronic mail creating means for creating
electronic mail to which the sensing condition under
which the image was sensed by said sense means is added.

10 11. An image sensing apparatus comprising:

setting means for setting a sensing condition for image sensing;

sense means for sensing an image in accordance
with the sensing condition set by said setting means;
15 and

electronic mail creating means for creating
electronic mail to which information associated with a
time at which the image was sensed by said sense means
is added.

20 12. A control method for an image sensing apparatus
comprising:

a storing step of storing a sensing condition for image sensing;

a sensing step of sensing an image in accordance
25 with the sensing condition stored in the storing step;
and

a transmitting step of transmitting, by

electronic mail, the sensing condition when the image was sensed in the sensing step.

13. A control method for an image sensing apparatus comprising:

5 a storing step of storing a sensing condition for image sensing;

 a sensing step of sensing an image in accordance with the sensing condition stored in the storing step; and

10 a transmitting means of transmitting, by electronic mail, information associated with a time at which the image was sensed in the sensing step.

14. A control method for an image sensing apparatus comprising:

15 a storing step of storing a sensing condition for image sensing;

 a sensing step of sensing an image in accordance with the sensing condition stored in the storing step; and

20 an electronic mail creating step of creating electronic mail to which the sensing condition when the image was sensed in the sensing step is added.

15. A control method for an image sensing apparatus comprising:

25 a storing step of storing a sensing condition for image sensing;

 a sensing step of sensing an image in accordance

with the sensing condition stored in the storing step;
and

an electronic mail creating step of creating
electronic mail to which information associated with a
5 time at which the image was sensed in the sensing step
is added.